

ALKALINE-MANGANESE DIOXIDE BATTERY



size: 9V (6LR61) PC1604

17.5 mm 12.95 mm 12.45 mm 26.5 mm 46.4 mm MAX 48.5 mm

Dimensions shown are IEC standards

KEY FEATURES

- Reliable Performance
- Excellent resistance to corrosion
- Designed to meet all major quality, safety and environmental standards:
 - o Safety: IEC 60086-5
 - o ANSI C 18.1M, Part-2
 - o EU Battery Directive
 - Quality: ISO 14001 and 9001, Duracell World Class Continuous Improvement Program

TYPICAL APPLICATIONS

- Carbon Monoxide Detectors
- Smoke Detectors
- Multimeters
- Medical Devices
- Microphones

ELECTRICAL CHARACTERISTICS

Nominal capacity (2 mA Cont., 5V cut-off)

673 mAh

Typical Voltage (at + 20 °C)

1,700 mΩ

9 V

■ AC Impedance @ 1kHz

PHYSICAL CHARACTERISTICS

Typical w eight

45.0 g (1.6 oz)

Typical volume

22.8 cm3 (1.4 in3)

Terminals

Miniature snap

OPERATING & STORAGE CONDITIONS

Operating temperature range

-20°C to 54°C (-4°F to 130°F)

 Recommended Storage (storage area should be clean, cool, dry and ventilated)

5°C to 30°C (41°F to 86° F)

PROCELL®

PROFESSIONAL BATTERIES

Duracell Industrial Operations Berkshire Corporate Park Phone: 1-800-544-5454 (Toll-free)

www.procell.com

Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

This data is subject to change. Performance information is typical. Contact Duracell for the latest information.



TYPICAL PERFORMANCE














PROCELL®

PROFESSIONAL BATTERIES

Duracell Industrial Operations Berkshire Corporate Park Phone: 1-800-544-5454 (Toll-free)

www.procell.com

Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

This data is subject to change. Performance information is typical. Contact Duracell for the latest information.