

EAN: 6414150078934

www.oras.com/en/products/oras/product/1033



Washbasin faucet with high spout and Bidetta hand shower. Swivel spout and aerator. Spout's swing angle is factory preset at 120° (can be limited to 0° or 60°). There are also in-built limitation options for water temperature and maximum flow-rate.

- Bathroom
- Single lever, Bidetta
- Deck mounted
- Chrome
- Swivel spout
- Bidetta hand shower
- Limitation option for maximum flow-rate
- Limitation option for maximum temperature
- 3S-installation system for safe and simple mounting

Technical data

Flow properties

Flow-rate at 300 kPa	0.16 l/s
Pressure loss with flow (0.1 l/s)	110 kPa

Technical properties


Hot water supply	max. +80°C
Working pressure	50 - 1000 kPa
Connection size	Ø10 mm
Projection	178 mm
Material	brass



Regulations

EN standard	EN 817
Noise class	I (ISO 3822)


Type approvals

STF certificate	VTT-RTH-00090-17
KIWA SE	1490






Spare parts



SP1033

	Code
01	232201
02	159695V
03	159667/10
03	159667V
03	159670/10
04	159499
05	602502V
06	602589V
07	158726
08	158890
09	601971V
10	158825
11	1000780V
12	602610V
13	159684



SP0035

	Code
01	249302/10
02	249690