

## ToLEDo Micro-Lynx

TOLEDO MICROLYNX FROSTED 470LM 840  
0026809



### Product features

- ToLEDo Microlynx LED is the perfect replacement for GX53 CFL lamp
- Compact design
- 15,000 hours rated life
- Higher lumen output
- Good colour rendering - CRI80
- Non-dimmable
- 3 years warranty
- Perfect for kitchen cabinets, showcases, display units and wardrobes



## PRODUCT OVERVIEW

Product name	TOLEDO MICROLYNX FROSTED 470LM 840
Technology	LED
Watt (Rated) (W)	5
Cap/Base	GX53
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740839
Warranty	3 years
Luminous flux (lm)	470
Colour temperature (K)	4000
Light colour	Cool White
CRI (Ra)	80
Wattage (W)	5
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288268095

## DATA TABLE

### General data

Product name	TOLEDO MICROLYNX FROSTED 470LM 840
Technology	LED
Watt (Rated) (W)	5
Cap/Base	GX53
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959
E-number FI	4740839
Warranty	3 years

### Optical data

Luminous flux (lm)	470
Luminous flux (Rated) (lm)	470

## ToLEDo Micro-Lynx

*TOLEDO MICROLYNX FROSTED 470LM 840*  
0026809

Colour temperature (K)	4000
Light colour	Cool White
CRI (Ra)	80
Lumen maintenance at end of nominal life (%)	70

### Electrical data

Wattage (W)	5
Equivalent watt (W)	40
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Product Voltage (V)	230
Lamp power factor	0.5
No. Of switching cycles before premature failures	>50000
Inrush Current (A)	2
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	208
Max. Luminaires per 16A C Breaker	334
Max. Luminaires per 20A C Breaker	418

### Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

### Physical data

Nominal Product Length (mm)	74.3
Nominal Product Diameter (mm)	25
Weight (kg)	0.048

### Packaging

Single packaging type	Carton
Product EAN number	5410288268095
Packaging single length / height (cm)	7.6
Packaging single width (cm)	2.7
Packaging single depth (cm)	7.6
DUN14 (inner)	25410288268099
Units per inner package	6
DUN14 (outer)	15410288268092
Units per outer package	6
Packaging outer length / height (cm)	16.0
Packaging outer width (cm)	9.0
Packaging outer depth (cm)	8.4

### Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes



ToLEDo Micro-Lynx  
*TOLEDO MICROLYNX FROSTED 470LM 840*  
0026809

---

**Safety message**

Not Suitable for totally enclosed fixtures