

## Motion detector

**sensIQ S KNX**

EAN 4007841004040

**Functional description**

The reference motion detector for use anywhere on the building is also available in a version for the world's only open standard for home and building control. The sensIQ S KNX is just as perfect in form and functional diversity as all other sensIQ models. But this designer motion detector also provides the benefits of KNX technology. The electronic detector was developed specifically for wall mounting, nestles up against any facade and harmonises perfectly with modern architecture. Thanks to KNX control, its inner values are spectacular too.

**Technical specifications**

<b>Type</b>	Motion detectors
<b>Type of accessory</b>	Corner adapter
<b>Dimensions (L x W x H)</b>	128 x 74 x 114 mm
<b>Power supply, detail</b>	KNX bus
<b>Sensor Technology</b>	passive infrared
<b>Application, place</b>	Indoors, outdoors
<b>Type of installation</b>	Surface wiring
<b>Switching zones</b>	304 Schaltzonen
<b>Electronic scalability</b>	No
<b>Mechanical scalability</b>	Yes
<b>Mounting height</b>	2,00 – 5,00 m
<b>Optimum mounting height</b>	2 m
<b>Detection angle</b>	300 °
<b>Angle of aperture</b>	90 °
<b>Sneak-by guard</b>	Yes
<b>Capability of masking out individual segments</b>	Yes
<b>Reach, detail</b>	Reichweite von 2 - 20 m in 3 Richtungen (je 100 °) einstellbar
<b>Reach, radial</b>	r = 4 m (42 m <sup>2</sup> )
<b>Reach, tangential</b>	r = 20 m (1047 m <sup>2</sup> )
<b>Twilight setting TEACH</b>	Yes
<b>Twilight setting</b>	2 – 2000 lx
<b>Time setting</b>	5 s – 15 min
<b>Constant-lighting control</b>	Yes
<b>Basic light level function</b>	Yes
<b>Basic light level function time</b>	1-255 min
<b>KNX functions</b>	Light output 2x, Presence output, Light level, Basic light level function, Photo-cell controller, Close range
<b>With bus coupling</b>	Yes
<b>Settings via</b>	ETS software, Remote control, Bus
<b>With remote control</b>	Yes
<b>Interconnection</b>	Yes
<b>IP rating</b>	IP54
<b>Material</b>	Plastic
<b>Ambient temperature</b>	-20 – 50 °C

<https://www.steinel-professional.de/>

Motion detector

# sensIQ S KNX

EAN 4007841004040

<b>Colour</b>	Stainless steel
<b>IDs, certificates</b>	VDE
<b>Manufacturer's Warranty</b>	5 years
<b>Version</b>	inox

Motion detector

# sensIQ S KNX

EAN 4007841004040

## Sensorenerfassungsbereich 1

