

Motion detector

SensIQ KNX

EAN 4007841029616



Functional description

Most motion detectors sit around inconspicuously on a wall or ceiling. The sensIQ KNX is different. Its design is so spectacular that it's a stylish signature on any facade, automatically attracting admiring glances. Behind its internationally acclaimed form is intelligent technology that puts virtually everything else in the shade. Unmatched: the detection reach of the four pyro sensors can easily be scaled in three directions via control dials – instead of shrouds of the type normally used on most other motion detectors. On this note: Welcome to the world of almost endless possibilities!

Technical specifications

Type	Motion detectors
Type of accessory	Corner adapter
Dimensions (L x W x H)	144 x 113 x 172 mm
Power supply, detail	KNX bus
Sensor Technology	passive infrared
Application, place	Indoors, outdoors
Type of installation	Surface wiring
Switching zones	1360 Schaltzonen
Electronic scalability	No
Mechanical scalability	Yes
Mounting height	2,00 – 5,00 m
Optimum mounting height	2 m
Detection angle	300 °
Angle of aperture	90 °
Sneak-by guard	Yes
Capability of masking out individual segments	Yes
Reach, detail	Reichweite von 2 - 20 m in 3 Richtungen (je 100 °) einstellbar
Reach, radial	r = 20 m (1047 m ²)
Reach, tangential	r = 20 m (1047 m ²)
Twilight setting TEACH	Yes
Twilight setting	2 – 2000 lx
Time setting	60 s – 255 min
Constant-lighting control	Yes
Basic light level function	Yes
Basic light level function time	1-255 min
KNX functions	Light output 2x, Presence output, Light level, Constant-lighting control, Basic light level function, Photo-cell controller, Close range, Individual pyro evaluation
With bus coupling	Yes
Settings via	ETS software, Remote control, Bus
With remote control	Yes
Interconnection	Yes
IP rating	IP54

<https://www.steinel-professional.de/>

Motion detector

SensIQ KNX

EAN 4007841029616

Material	Plastic
Ambient temperature	-20 – 50 °C
Colour	Stainless steel
IDs, certificates	VDE
Manufacturer's Warranty	5 years
Version	inox
Model	KNX

Motion detector

SensIQ KNX

EAN 4007841029616

Sensorenerfassungsbereich 1

