



Bachmann

**356.171**

GTIN: 4016514074907

Extension cable H05VV-F 3G1,0 bk L:2,0,C14/C13

## 356.171

### ITEM DETAILS

Extension cable H05VV-F 3G1,0mm<sup>2</sup> black

Length: 2,0m,

S1: C14 IEC plug

S2: C13 IEC coupling

### CHARACTERISTICS

#### FEATURES

Product group	Power cord (EC001576)
System-oriented connector system	No
Number of cores	3
Length	2 m
Material outer sheath	Polyvinyl chloride (PVC)
Temperature resistance	70 °C
Nominal current	10.00 A
Nominal voltage	230 - 250 V
Frequency	50 - 60 Hz
Colour outer sheath	Black
Spiralized cable	No
Degree of protection (IP)	IP20
Oil resistant according to EN IEC 60811-404	No
With cord switch	No
Outer diameter approximate	8.2 mm

**356.171**

CUSTOMS

Country of origin	Romania (RO)
Customs tariff number	Isolierte elektrische Leiter, für eine Spannung von 1000 V oder weniger, mit Anschlussstücken versehen, nicht für die Telekommunikation, anderweit weder genannt noch inbegriffen (85444290)

HAZARDOUS MATERIALS

RoHS applicable	True
-----------------	------

LOGISTICS

Unlimited shelf life	Yes
----------------------	-----

REGULATIONS

REACH Indicator	No
-----------------	----

FURTHER PRODUCTS

ACCESSORY FOR



**915.170**

Cold connector outlet Nr.794, 70°



**915.171**

Cold connector plug Type 749 70°C

**356.171**



**915.172**  
Cold connector plug Type 747 70°C



**915.173**  
Cold connector outlet Type 790 70°C



**915.175**  
Cold connector plug 16A,250V, 70° C,bk



**915.270**  
Cold connector outlet Nr.794 70°C



**915.271**  
Cold connector plug Type 749 70°C



**915.970**  
Cold connector outlet Nr.794 70°C

## 356.171



**915.971**  
Cold connector plug Type 749 70°C



**915.973**  
Cold connector outlet Type 790 70°C



**917.170**  
IEC plug 70°C bk



**917.171**  
Cold coupling 70°C bk



**917.173**  
Cold connector built-in plug 16A, 250V, 70°C

