


## Indoor light

# RS PRO LED S2

EAN 4007841035792



## Functional description

Same design as RS PRO LED S1, just larger in diameter. And with an even more powerful 26 W STEINEL LED lighting system. Apart from that, the RS PRO LED S2 comes with exactly the same impressive line-up as its little sister. Put simply: convenient adjustment by Smart Remote, no unintentional deactivation thanks to presence mode and neighbouring-light function that moves along with the person walking past to illuminate the way ahead.

## Technical specifications

<b>Dimensions (Ø x H)</b>	350 x 83 mm
<b>Mains power supply</b>	230 – 240 V , 50 / 60 Hz
<b>Sensor Technology</b>	High frequency
<b>Transmitter power</b>	< 1 mW
<b>Output</b>	26 W
<b>Interconnection</b>	Yes
<b>Luminous flux</b>	2106 lm
<b>Colour temperature</b>	3000 K
<b>Colour variation LED</b>	SDCM3
<b>Colour Rendering Index CRI</b>	80-89
<b>With lamp</b>	Yes, STEINEL LED system
<b>Lamp</b>	LED cannot be replaced
<b>Base</b>	without
<b>LED cooling system</b>	Active Thermo Control
<b>With motion detector</b>	Yes
<b>Detection</b>	also through glass, wood and stud walls
<b>Detection angle</b>	360 °
<b>Angle of aperture</b>	160 °
<b>Electronic scalability</b>	Yes
<b>Mechanical scalability</b>	No
<b>Photo-cell controller</b>	Yes
<b>Twilight setting</b>	2 – 2000 lx
<b>Time setting</b>	5 s – 15 min
<b>Basic light level function</b>	Yes
<b>Basic light level function time</b>	all night, 10/30 min
<b>Functions</b>	Neighbouring-light function, Presence function
<b>Impact resistance</b>	IK07
<b>IP rating</b>	IP20
<b>Protection class</b>	II
<b>Ambient temperature</b>	-10 – 50 °C
<b>Housing material</b>	Aluminium
<b>Cover material</b>	Plastic, opal
<b>Manufacturer's Warranty</b>	5 years

Data sheet



Indoor light

# RS PRO LED S2

EAN 4007841035792

**Version**

Polycarbonate warm white

---

Indoor light

# RS PRO LED S2

EAN 4007841035792

Light distribution curve 1

Sensorenerfassungsbereich 1

