

EAN: 6414150065651

www.oras.com/en/products/oras/product/6333F



Touchless washbasin faucet with a temperature adjustment handle and Bidetta hand shower. Length of spout 170 mm. The faucet is equipped with litter filters, non-return valves and Autofocus sensor which enables installation without adjustments. The adjustment values can be changed according to the conditions in the place of use with pre-programmed parameters. The impulse-controlled solenoid valve gives the battery a long operating life. Flow controller (6 l/min) enables low water consumption.

- Bathroom
- Touchless, Battery-operated, Bidetta
- Deck mounted
- Chrome
- Temperature control handle
- Bidetta hand shower
- Non-return valve(s), Litter filter(s)
- Autofocus sensor, Impulse-controlled solenoid valve

Technical data

Flow properties

Flow-rate at 300 kPa (with flow controller)	0.1 l/s
Pressure loss with flow (0.1 l/s)	200 kPa

Technical properties

Hot water supply	max. +70°C
Working pressure	100 - 1000 kPa
Connection size	G3/8
Projection	170 mm
Material	brass

Software settings

Afterflow period	2 s ± 1 s
Max. flow period	2 min

Electronic properties


Battery	Lithium 2CR5 6 V
---------	-------------------------



Regulations

EMC Directive	CE 2004/108/EY
EN standard	EN 15091
Noise class	I (ISO 3822)
Protection class	IP 55

Type approvals

STF certificate	STF VTT-RTH-00031-11
ETA-Danmark	VA 1.42/19925






Spare parts



SP6333F

	Code
01	199417V
02	198330
03	600581V
04	199205V
05	199206V
06	600832V
07	600961V
08	199257/2
09	198473/2
10	600724V
11	199201V
12	600705/10



SP0035

	Code
01	249302/10
02	249690