

MODEL	Units	DADOS XL	
		Cooling	Heating
Cooling (35°C d.b.; 80% r.h.) /Heating capacity	BTU/h	13 000	13 000
Rated Cooling capacity (35°C/24° C) - Heating capacity (20°C/12°C)	kW	3,1	3,2
Energy label class		A	A++
Rated EER - COP	(kW/kW)	2,8	3,3
Air flowrate (l.-m.-h.)	m ³ h	290-360-420	
Dehumidification	l/24h	55	-
Fan speeds	n.	3 + auto	
Sound pressure (l.-m.-h.)	dB(A)	40-43-48	
Sound power (h.)	dB(A)	63	
Power supply	V/Ph/Hz	230/1/50	230/1/50
Rated Power input	kW	1,100	0,960
Hourly electricity consumption	kWh/60 min	1,1	1,0
Thermostat-off mode power consumption	W	155,4	
Standby mode power consumption	W	<0,5	
Refrigerant type		R410A	
Refrigerant GWP	kgCO ₂ eq.	1975	
Hole in the window (diameter)	mm	140	
Flexible exhaust tube (diameter)	mm	135	
Flexible exhaust tube (extended lenght)	m	1,2	
Net weight	Kg	34	
Net dimension (H./W./D.)	mm	540x500x500	

Data declared in compliance with EU Regulation no. 206/2012, as regards to ECO-design requirements for air conditioners and comfort fans, and EU Regulation no. 626/2011, concerning the energy labelling of air conditioners.

