

OUTDOOR UNIT MODEL			GRF198MR5I												
Performance			Cooling					Heating							
			Indoor unit capacity (kW)			Total capacity (min.-max.)	Running consumption (min-max)	EER	Indoor unit capacity (kW)			Total capacity (min.-max.)	Running consumption (min-max)	COP	
			A	B	C	kW	kW		A	B	C	kW	kW		
Indoor units matchable	1 unit	90/98	2,65	-	-	2,65 (1,4-3,2)			3,60	-	-	3,60 (1,8-4,7)			
		120/128	3,50	-	-	3,50 (1,5-3,6)			4,20	-	-	4,20 (1,9-5,1)			
		180/187	5,15	-	-	5,15 (1,6-5,8)			6,00	-	-	6,00 (2,0-7,8)			
	2 units	90/98+90/98	2,50	2,50	-	5,00 (2,0-6,3)	1,39 (0,81-2,29)	3,60	3,20	3,20	-	6,45 (2,3-8,4)	1,68 (0,75-2,72)	3,84	
		90/98+120/128	2,24	2,96	-	5,20 (2,1-6,8)	1,46 (0,81-2,55)	3,56	3,07	3,58	-	6,65 (2,3-8,4)	1,735 (0,75-2,72)	3,83	
		90/98+180/187	1,90	3,70	-	5,60 (2,1-6,8)	1,695 (0,82-2,26)	3,30	2,74	4,56	-	7,30 (2,4-8,4)	1,735 (0,68-2,27)	4,21	
		120/128+120/128	2,70	2,70	-	5,40 (2,0-6,8)	1,59 (0,81-2,55)	3,40	3,45	3,45	-	6,90 (2,3-8,4)	1,82 (0,75-2,72)	3,79	
		120/128+180/187	2,27	3,33	-	5,60 (2,1-6,8)	1,695(0,82-2,26)	3,30	3,01	4,29	-	7,30 (2,4-8,4)	1,735 (0,68-2,27)	4,21	
OUTDOOR UNIT MODEL			GRF248MR5I												
Performance			Cooling					Heating							
			Indoor unit capacity (kW)			Total capacity (min.-max.)	Running consumption (min-max)	EER	Indoor unit capacity (kW)			Total capacity (min.-max.)	Running consumption (min-max)	COP	
			A	B	C	kW	kW		A	B	C	kW	kW		
Indoor units matchable	1 unit	90/98	2,65	-	-	2,65 (1,4-3,2)			3,60	-	-	3,60 (1,8-4,7)			
		120/128	3,50	-	-	3,50 (1,5-3,6)			4,20	-	-	4,20 (1,9-5,1)			
		180/187	5,15	-	-	5,15 (1,6-5,8)			6,00	-	-	6,00 (2,0-7,8)			
		240/247	6,80	-	-	6,80 (1,6-6,8)			8,00	-	-	8,00 (2,0-8,0)			
		90/98+90/98	2,65	2,65	-	5,30 (2,0-6,3)			3,60	3,60	-	7,20 (2,3-8,5)			
	2 units	90/98+120/128	2,54	2,54	-	5,90 (2,0-6,8)			3,51	4,09	-	7,60 (2,3-8,5)			
		90/98+180/187	2,28	4,42	-	6,70 (2,1-8,1)			3,15	5,25	-	8,40 (2,4-9,0)			
		90/98+240/247	1,85	4,95	-	6,80 (2,1-8,1)			2,56	6,04	-	8,60 (2,4-9,0)			
		120/128+120/128	3,30	3,30	-	6,60 (2,0-8,1)			4,00	4,00	-	8,00 (2,3-8,5)			
		120/128+180/187	2,75	4,05	-	6,80 (2,1-8,1)			3,50	5,00	-	8,50 (2,4-9,0)			
		120/128+240/247	2,25	4,55	-	6,80 (2,1-8,1)			2,84	5,76	-	8,60 (2,4-9,0)			
		180/187+180/187	3,40	3,40	-	6,80 (2,1-8,1)			4,30	4,30	-	8,60 (2,4-9,0)			
	3 units	90/98+90/98+90/98	2,27	2,27	2,27	6,80 (2,9-8,1)	2,00 (0,82-2,6)	3,40	2,87	2,87	2,87	8,60 (3,4-9,0)	2,00 (0,68-2,46)	4,30	
		90/98+90/98+120/128	2,05	2,05	2,70	6,80 (2,9-8,1)	2,00 (0,82-2,6)	3,40	2,72	2,72	3,17	8,60 (3,4-9,0)	2,00 (0,68-2,46)	4,30	
		90/98+90/98+180/187	1,72	1,72	3,35	6,80 (2,9-8,1)	2,00 (0,83-2,6)	3,40	2,35	2,35	3,91	8,60 (3,4-9,0)	2,00 (0,69-2,46)	4,30	
		90/98+120/128+120/128	1,87	2,47	2,47	6,80 (2,9-8,1)	2,00 (0,82-2,6)	3,40	2,58	3,01	3,01	8,60 (3,4-9,0)	2,00 (0,68-2,46)	4,30	
		90/98+120/128+180/187	1,59	2,11	3,10	6,80 (2,9-8,1)	2,00 (0,83-2,6)	3,40	2,24	2,62	3,74	8,60 (3,4-9,0)	2,00 (0,68-2,46)	4,30	
		120/128+120/128+120/128	2,27	2,27	2,27	6,80 (2,9-8,1)	2,00 (0,82-2,6)	3,40	2,87	2,87	2,87	8,60 (3,4-9,0)	2,00 (0,68-2,46)	4,30	
		120/128+120/128+180/187	1,96	1,96	2,88	6,80 (2,9-8,1)	2,00 (0,83-2,6)	3,40	2,51	2,51	3,58	8,60 (3,4-9,0)	2,00 (0,69-2,46)	4,30	