


Oil-filled heater 600W freestanding / wall mounted

- Freestanding or wall mounted
- Adjustable thermostat for temperature setting
- Overheating protection
- Usable area: 7-8 square meter
- Large heating surface

Energy saving and safety
 Length of power cord is 1.5m
 On / off power switch
 Thermal automatic cut-out
 With wall mounted kit



SAP	Code	Dimension (L*W*H)	Description
AME448	E176042	1170*120*340mm	220-240V~50Hz, 600W

Oil-filled radiator with thermostat

- Freestanding or wall mounted
- Adjustable thermostat control
- Overheating protection
- Save space

1 heat setting
 Pressure Tested for Safety
 With wall mounted kit



SAP	Code	Dimension (L*W*H)	Description
ADQ923	E176029	805*100*375mm	220-240V~50Hz, 400W
ADQ924	E176030	1030*100*670mm	220-240V~50Hz, 700W
ADQ925	E176031	1030*100*670mm	220-240V~50Hz, 900W

Oil-filled radiator with thermostat

- Carry handle
- Adjustable thermostat control
- Overheating protection

Power indicator light
 External length of power cord is 1.5m
 2 pin plug with earthed



SAP	Code	Type	Description
ACV385	E176001	Fins:8 1 heat setting	220-240V~50/60Hz, 800W
ACV388	E176004	Fins:7 3 heat setting Wheels for moving	220-240V~50/60Hz, 1500W
ACV389	E176005	Fins:9 3 heat setting Wheels for moving	220-240V~50/60Hz, 2000W

Panel heater

- Indoor heating
- Wall mounting
- large heating area
- Mechanical thermostat
- IP20

With wall mounted kit



SAP	Code	Dimension (L*W*H)	Description
ALK415	190122	735*110*335mm	220-240V~50Hz, 1000W
ALK416	190123	1020*110*335mm	220-240V~50Hz, 1500W

PTC ceramic heater

- Adjustable thermostat
- With oscillation function
- Apply to the bathroom, little room and so on

2 heat settings(1000W / 1800W)
 Off / fan / low / high
 Safety tip over switch
 External length of power cord is 1.5m



SAP	Code	Description
AMB047	E176040	220-240V~50/60Hz, 1000/1800W

Patio heater quartz with stand

- *Used for outdoor*
- *Free use angle at 0-45°*
- *Quartz tubes heating*
- *IP44*

Cable length: 3m

Height: 2.1m



SAP	Code	Description
AMI725	E176043	220-240V~50Hz, 650/1300/2000W

Outdoor heater 1000W

- *Tempered glass*
- *Aluminium die-casting body*
- *IP24*



SAP	Code	Description
ALK414	190121	220-240V~50Hz, 1000W

More information:
Please contact with Own Brand
Sourcing Center ob@onninen.com