

---

## LINEARlight FLEX Protect Connection System

– Accessories



---

### Product family benefits

- Short installation time (CONNECTsystem)

## Product family datasheet

---

### Technical data

#### Dimensions & weight

Product description	Product weight	Length	Height	Width
LF-CLIP -FIXTURE PROTECT	0.31 g	27.0 mm	5.7 mm	6.0 mm
LF -2CONN Protect	16.00 g	30.0 mm	13.4 mm	19.8 mm
LF -ENDCAP Protect	0.50 g	13.7 mm	8.0 mm	10.0 mm
LF -2PIN Protect	16.00 g	30.0 mm	13.4 mm	19.8 mm
LF -2CONN IP67 LP	16.00 g	30.0 mm	13.4 mm	19.8 mm
LF -2PIN IP67 LP	16.00 g	30.0 mm	13.4 mm	19.8 mm
LF -ENDCAP IP67 LP	0.50 g	13.7 mm	7.0 mm	10.0 mm
FX -SC08-G2-C2PF-IP54-0500	8.30 g	510.0 mm	8.2 mm	15.7 mm
FX -SC08-G2--BTJ-IP54	4.00 g	30.0 mm	8.2 mm	15.7 mm
LF -4CONN Protect	20.00 g	30.0 mm	13.4 mm	19.8 mm
LF -4PIN Protect	20.00 g	30.0 mm	13.4 mm	19.8 mm


## Product family datasheet

### Product line drawing

---

LF-CLIP -FIXTURE PROTECT

LF-2CONN PROT




---

LF -2CONN Protect, LF -2CONN IP67 LP


---

LF -ENDCAP Protect, LF -ENDCAP IP67 LP



LF -2PIN Protect, LF -2PIN IP67 LP

## Product family datasheet



---


FX -SC08-G2-C2PF-IP54-0500

---


FX -SC08-G2--BTJ-IP54

## Product family datasheet

LF-4CONN PROT



LF -4CONN Protect



LF -4PIN Protect

## Product family datasheet

### Logistical data

Product description	Commodity code
LF-CLIP -FIXTURE PROTECT	392690979000
LF -2CONN Protect	854442909000
LF -ENDCAP Protect	392690979000
LF -2PIN Protect	854442909000
LF -2CONN IP67 LP	854442909000
LF -2PIN IP67 LP	854442909000
LF -ENDCAP IP67 LP	392690979000
FX -SC08-G2-C2PF-IP54-0500	854442909000
FX -SC08-G2--BTJ-IP54	854442909000
LF -4CONN Protect	854442909000
LF -4PIN Protect	854442909000

### Application advice

For more detailed application information and graphics please see product datasheet.



### Sales and Technical Support

— Sales and Technical Support [www.osram.com](http://www.osram.com)

### Country specific information

Product description	Product code	METEL-Code	SEG-No.	STK number	UK Org
LF-CLIP -FIXTURE PROTECT	4008321644749	-	-	4030028	-

### Download Data

File
 Brochures Light is freedom of design (EN)
 Brochures 602876_LINEARlight Colormix Flex and LINEARlight Colormix Flex Protect - Quick installation guide
 Product Family Datasheet 494755_TDS - CONNECTsystem FLEX IP67 LP - ENG

### Logistical Data

## Product family datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321644749	LF-CLIP -FIXTURE PROTECT	Shipping carton box 500	89 mm x 18 mm x 73 mm	0.12 dm <sup>3</sup>	22.00 g
4062172016476	LF -2CONN Protect	Shipping carton box 10	230 mm x 150 mm x 340 mm	11.73 dm <sup>3</sup>	585.00 g
4062172016438	LF -ENDCAP Protect	Shipping carton box 10	338 mm x 140 mm x 141 mm	6.67 dm <sup>3</sup>	260.00 g
4062172016513	LF -2PIN Protect	Shipping carton box 10	570 mm x 150 mm x 340 mm	29.07 dm <sup>3</sup>	1059.00 g
4062172016384	LF -2CONN IP67 LP	Shipping carton box 10	230 mm x 150 mm x 340 mm	11.73 dm <sup>3</sup>	585.00 g
4062172016414	LF -2PIN IP67 LP	Shipping carton box 10	570 mm x 150 mm x 340 mm	29.07 dm <sup>3</sup>	1059.00 g
4062172016360	LF -ENDCAP IP67 LP	Shipping carton box 10	338 mm x 140 mm x 141 mm	6.67 dm <sup>3</sup>	260.00 g
4052899464889	FX -SC08-G2-C2PF-IP54-0500	Shipping carton box 280	510 mm x 340 mm x 315 mm	54.62 dm <sup>3</sup>	5895.00 g
4052899568853	FX -SC08-G2--BTJ-IP54	Shipping carton box 250	258 mm x 168 mm x 84 mm	3.64 dm <sup>3</sup>	1131.00 g
4062172016452	LF -4CONN Protect	Shipping carton box 10	230 mm x 150 mm x 340 mm	11.73 dm <sup>3</sup>	625.00 g
4062172016490	LF -4PIN Protect	Shipping carton box 10	570 mm x 150 mm x 340 mm	29.07 dm <sup>3</sup>	1099.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.