






	L [mm]	W [mm]	H1 [mm]	H2 [mm]	Kg	ta [°C]
9 klm	446	481	76	96	<5.0	-30 \rightarrow +50
13 klm	446	481	76	96	<5.0	-30 \rightarrow +50
20 klm	446	481	76	96	<5.0	-30 \rightarrow +50
26 klm	446	481	76	96	<5.0	-30 \rightarrow +50
32 klm	446	481	76	96	<5.0	-30 \rightarrow +50
40 klm	446	963	76	106	<11.0	-30 \rightarrow +50
52 klm	446	963	76	106	<11.0	-30 \rightarrow +50




4b



5a






5b



5 ⚡ 220-240V





Min. 600V AC / 5A, IP65




Y-type



? z18




④





! 25/50/75/100%




⚙️ 25%










⚙️ 50%





⚙️ 75%



⚙️ 100%




Daylight threshold (⚙️ disable)
 100 Lux / 150 Lux / 200 Lux / 300 Lux /
 400 Lux / 500 Lux / 1000 Lux / Disable




Stand-by dimming level (⚙️ 10%)
 0% / 10% / 30% / 50%

Hold-time (⚙️ 10min)
 Test 3s / 30s / 90s / 5min / 10min / 30min



Stand-by time (⚙️ 10min)

10s / 5min / 10min / 30min / 1h / ∞



2825472
 Rocks PIR sensor
 Remote Controller