

Product family datasheet

SubstiTUBE Advanced UO EM

LED tubes for electromagnetic control gear (CCG)



Product family datasheet

Technical data

Product description	Additional product data				Certificates & standards		
	Successor EAN	Predecessor EAN	Base (standard designation)	Mercury-free	Energy efficiency class	Type of protection	Energy consumption
ST8AU-EM 15.6 W/840 1200 mm	4058075611931	4058075136311, 4058075454644			C		
ST8AU-EM 15.6 W/865 1200 mm	4058075611955	4058075136335, 4058075454668			C		
ST8AU-EM 23.1 W/830 1500 mm	4058075611979	4058075136359, 4058075454682			D		
ST8AU-EM 23.1 W/840 1500 mm	4058075611993	4058075136373, 4058075454705			C		
ST8AU-EM 23.1 W/865 1500 mm	4058075612013	4058075136397, 4058075454729	G13	Yes	C	IP20	24 kWh/1000h

Product description	Environmental information				
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Declaration No. in SCIP database
ST8AU-EM 15.6 W/840 1200 mm	10-11-2021	4058075454644 4058075611931	No declarable substances contained	No CAS	No declarable substances contained
ST8AU-EM 15.6 W/865 1200 mm	10-11-2021	4058075454668 4058075611955	No declarable substances contained	No CAS	No declarable substances contained
ST8AU-EM 23.1 W/830 1500 mm	10-11-2021	4058075454682 4058075611979	No declarable substances contained	No CAS	No declarable substances contained
ST8AU-EM 23.1 W/840 1500 mm	10-11-2021	4058075454705 4058075611993	No declarable substances contained	No CAS	No declarable substances contained
ST8AU-EM 23.1 W/865 1500 mm	10-11-2021	4058075454729 4058075612013	No declarable substances contained	No CAS	No declarable substances contained

Product family datasheet

Equipment / Accessories

– Suitable for operation with low-loss and conventional control gears

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075454644	ST8AU-EM 15.6 W/840 1200 mm	Shipping carton box 10	1352 mm x 210 mm x 115 mm	32.65 dm ³	2879.00 g
4058075611931	ST8AU-EM 15.6 W/840 1200 mm	Shipping carton box 10	1352 mm x 210 mm x 115 mm	32.65 dm ³	2729.00 g
4058075454668	ST8AU-EM 15.6 W/865 1200 mm	Shipping carton box 10	1352 mm x 210 mm x 115 mm	32.65 dm ³	2879.00 g
4058075611955	ST8AU-EM 15.6 W/865 1200 mm	Shipping carton box 10	1352 mm x 210 mm x 115 mm	32.65 dm ³	2729.00 g
4058075454682	ST8AU-EM 23.1 W/830 1500 mm	Shipping carton box 10	1652 mm x 210 mm x 115 mm	39.90 dm ³	3430.00 g
4058075611979	ST8AU-EM 23.1 W/830 1500 mm	Shipping carton box 10	1652 mm x 210 mm x 115 mm	39.90 dm ³	3440.00 g
4058075454705	ST8AU-EM 23.1 W/840 1500 mm	Shipping carton box 10	1652 mm x 210 mm x 115 mm	39.90 dm ³	3430.00 g
4058075611993	ST8AU-EM 23.1 W/840 1500 mm	Shipping carton box 10	1652 mm x 210 mm x 115 mm	39.90 dm ³	3440.00 g

Product family datasheet

Logistical Data

4058075612013	ST8AU-EM 23.1 W/865 1500 mm	Shipping carton box 10	1652 mm x 210 mm x 115 mm	39.90 dm ³	3440.00 g
---------------	-----------------------------	---------------------------	---------------------------	-----------------------	-----------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany