



Mag Instrument is a Founding Partner of the National Law Enforcement Officers Memorial Fund and The National Law Enforcement Museum.

Learn more about The Campaign for the National Law Enforcement Museum at www.maglite.com









MAG INSTRUMENT, INC. 2001 South Hellman Ave., P.O. Box 50600, Ontario, California U.S.A. 91761 Tel. (909) 947-1006 www.maglite.com



# Strengthen American Manufacturing

Mag Instrument is proud to be a leader in the current renaissance in American manufacturing. Mr. Maglica himself, a fervent believer in the importance of manufacturing in the United States, insists that the



manufacture of Mag Instrument's flashlights remain U.S.-based. He has dedicated himself to proving that American products can excel in the global marketplace by using technology to continuously improve quality and reduce costs. Over the last three decades, Mr. Maglica's innovations have enabled Mag Instrument to offer consumers a consistently better value than the competition.



Mag Instrument is the only flashlight company with significant market share that still manufactures its entire line of flashlights in the United States. Unlike its competitors, Mag Instrument has chosen not to outsource the manufacturing of its flashlights to foreign countries in order to take advantage of cheap labor and less stringent environmental standards, which may also result in inferior quality. The outsourcing of manufacturing by other U.S. companies has caused millions of jobs in the United States to be lost. Indeed, if Mag Instrument had chosen the path of other flashlight companies, the jobs of hundreds of its employees in Ontario, California, would have been lost - with corresponding job losses, no doubt, at other U.S. companies that supply parts, materials and services to Mag Instrument.



MAG INSTRUMENT, INC. 2001 South Hellman Ave., P.O. Box 50600, Ontario, California U.S.A. 91761 Tel. (909) 947-1006 www.maglite.com


The distinctive shapes, styles and overall appearances of all Mag Instrument® flashlights, and the circumferential inscriptions extending around the heads of all Mag Instrument® flashlights, are trademarks of Mag Instrument, Inc. The circumferential inscription on the head of every flashlight signifies that it is an original MAG® flashlight and part of the MAG® family of flashlights.

2

	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	19 20
PAGE	LED	15 20
8	NEW NEW	T
	Maglite® Solitaire® LED 1-CELL AAA	П
9	NEW Mini Maglite® LED 2-CELL AAA	П
10		Ħ
11	Mini Maglite® LED 2-CELL AA	П
	Mini Maglite® PRO™ LED 2-CELL AA	П
12	Mini Maglite® PRO+™ LED 2-CELL AA	
13		П
	Maglite® LED XL50® 3-CELL AAA	
14	Maglite® LED XL100® 3-CELL AAA	Ш
15		Ш
	Maglite® LED XL200® 3-CELL AAA	Ш
16		Ш
	Maglite® LED 2-CELL D	Ш
16	Maglite® LED 3-CELL D	1
	imagireo LED 3-CELLO	
17	NEW NEW	$\mathbb{H}$
	Maglite® PRO™ LED 2-CELL D	$\perp$
18		+
	Maglito® ML100® LED 2 and 3 CELL C	H
19	Maglite® ML125® Rechargeable LED	H
20		+
20	Maglito® MAG-TAC® LED 2-CELL CR123 Plain Bezei	
21	NEW NEW	
	Maglite® MAG-TAC® LED 2-CELL CR123 Crowned 8	ezet
	INCANDESCENT	1
22	Maglite® Solitaire® 1-CELL AAA	
23	Mini Maglite® 2-CELL AAA	
24	Mini Maglite® 2-CELL AA Xenon	$\blacksquare$
25		$\mathbb{H}$
	MagCharger⊗- NiMH/Halogen	Н
26	E 50E	
	Maglite® 6-CELL D	
26	North of COLD	Ш
26	magness s-cell b	H
26	Maglite® 4-CELL D	+
26		H
20	Maglite® 3-CELL D	П
26		
	Maglite® 2-CELL D	
27		
	Maglite® 4-CELL C	H
27		H
	Maglite® 3-CELL C	П
27	Maglite® 2-CELL C	
	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	19 20

#### LED FLASHLIGHTS

Mag tests according to the ANSI/NEMA FL 1-2009 Flashlight **Basic Performance** Standard, We design and engineer our products with **Precision Focused Optics** and Intelligent Electronics. Instead of just concentrating on raw lumen output alone, we also seek to optimize the targeted delivery of useful light for an extended time. This is reflected in our products' superior peak beam intensity, beam distance and run time.






## INCANDESCENT FLASHLIGHTS

Mag tests
according to the
ANSI/NEMA FL 12009 Flashlight
Basic Performance
Standard. We
design and
engineer our
products with
Precision Focused
Optics and
Intelligent
Electronics.
Instead of just
concentrating on
raw lumen output
alone, we also seek

concentrating on raw lumen output alone, we also seek to optimize the targeted delivery of useful light for an extended time. This is reflected in our products' superior peak beam intensity, beam distance and run time.









"A keychain-size flashlight with big-light power" -- that describes our all-new MAG-LITE® SOLITAIRE® LED Flashlight. It features the classic look of our original Solitaire® flashlight introduced in 1988. And it works in the same simple way – just



twist the head to turn on, turn off and focus spot to flood. But thanks to a new, state-of-the-art LED light engine, you get something you just wouldn't expect to see coming out of a flashlight so small: A blast of power that can light up an object at the far end of the parking lot.



MAGLITE® SOLIT	AIRE® LED 1-Cell AAA SPECIFICATIONS
Overall Length:*	3-3/16 inches / 81 mm
Barrel Diameter:*	1/2 inch / 12.70 mm
• Head Diameter:*	1/2 inch / 12.70 mm
Weight with battery:*	0.8 ounces / 24 grams
Batteries Required:	(1) AAA Size Alkaline (included)
Colors subject to availability: Blac	ck, Red, Blue, Silver and Gray * All specifications shown are approximate.



POWERED BY 2 "AAA" ALKALINE BATTERIES



#### **Accessories:**

Black Nylon Full Flap Holster (AM3A026)







MINI MAGLITE®	LED 2-Cell AAA SPECIFICATIONS			
Overall Length:*	5.109 inches / 129.7 mm			
Barrel Diameter:*	1/2 inch / 12.70 mm			
Head Diameter:*	3/4 inch / 19 mm			
Weight with battery:*	1.73 ounces / 49.04 grams			
Batteries Required:	(2) AAA Size Alkaline (included)			
Colors subject to availability: Black, Red, Blue, Silver and Gray * All specifications shown are approximate.				

POWERED BY 2 "AA" ALKALINE BATTERIES

Delivers performance oriented features in a sleek compact design. This advanced lighting instrument is driven by the next generation of MAG-LED® technology. The Multi-Mode Electronic switch offers two different power settings - a maximum-power setting that yields maximum brightness and a 25% power setting to conserve battery power for reading at night, or for a prolonged emergency.

- Easy to use
- Powerful Projecting LED Beam
- 4 Selectable Modes:
  - High Power
  - Low Power (25%)
  - Blink Mode
  - SOS







#### **Candle Mode**

#### Accessories:







(AM2A016)







MINI MAGLITE® L	ED 2-Cell AA SPECIFICATIONS			
Overall Length:*	6.607 inches / 167.8 mm			
Barrel Diameter:*	.709 inches / 18 mm			
• Head Diameter:*	1 inch / 25.4 mm			
Weight with battery:*	4.15 ounces / 117.75 grams			
Batteries Required:	(2) AA Size Alkaline (included)			
Colors subject to availability: Black, Red, Blue, Silver and Gray * All specifications shown are approximate.				

#### MINI MAGLITE PRO

FLASHLIGHT **POWERED BY 2 "AA" ALKALINE BATTERIES** 

#### Introducing the all new MINI MAGLITE® PRO™ **LED Flashlight. -** The

iconic look of our original Mini Maglite® 2AA flashlight, introduced more than a quartercentury ago, is still seen in this newest member of the family. So is that same classic simplicity of function: Just twist the head to turn on, turn off and focus the beam -That's it. But there's one big difference: The new Mini Maglite® PRO™ houses a latest-generation LED – a light engine that yields a level of performance that, back in the day, just wasn't possible in a flashlight this size.

 CLASSIC SIMPLICITY -Twist the head to turn on. turn off, and focus.

#### MODERN POWER –

Next-generation LED for a whole new level of brightness.





#### Accessories:



**UCP Camo Nylon Full Flap Holster** (AP2X106)





(AM2A496)





(AM2A016)

MINI MAGLITE® L	ED PRO 2-Cell AA SPECIFICATIONS
• Overall Length:*	6.607 inches / 167.8 mm
Barrel Diameter:*	.709 inches / 18 mm
• Head Diameter:*	1 inch / 25.4 mm
Weight without battery:*	2.4 ounces / 68.04 grams
Weight with battery:*	4.15 ounces / 117.75 grams
Batteries Required:	(2) AA Size Alkaline (included)
Colors subject to availability: Black	Red. Blue. Silver and Grav * All specifications shown are approximate.

## **B** MAGLITE PRO+

LED FLASHLIGHT

POWERED BY 2 "AA" ALKALINE BATTERIES

#### Introducing the all new MINI MAGLITE® PRO+™

**LED Flashlight. -** Features the same iconic beauty that has made Mini Maglite® the world's most recognizable lighting instrument for a guarter-century. And it has the same renowned, high-precision optics that the MAGLITE brand has always stood for. But there's a "PLUS" (two, actually): (1) The PRO+™ offers new, powerful electronics, driving the state-of-the-art LED light engine to an impressive lumen output at the "high" setting and (2) The PRO+™ lets the user choose between two power levels - one for maximum brightness the other to conserve power.

 CLASSIC SPOT-TO-FLOOD **FOCUS -** Just twist the head (same as always)

 PLUS TWO-LEVEL **POWER - Unique** switching system lets you select "high" for dazzling brightness or "low" to save batteries.



#### Accessories:















#### MINI MAGLITE® LED PRO+™ 2-Cell AA SPECIFICATIONS • Overall Length:\* 6.607 inches / 167.8 mm Barrel Diameter:\* .709 inches / 18 mm • Head Diameter:\* 1 inch / 25.4 mm • Weight without battery:\* 2.4 ounces / 68.04 grams • Weight with battery:\* 4.15 ounces / 117.75 grams (2) AA Size Alkaline (included) • Batteries Required: Colors subject to availability: Black, Red, Blue, Silver and Gray \* All specifications shown are approximate.

# **MAG**·LITE

POWERED BY 3 "AAA" ALKALINE BATTERIES

Easy to use.

Powerful Projecting LED Beam

Features a push-button tail cap switch with simple on-off function and 3 Selectable Modes

Turn on with... **Quick Click** 

### **High Power**

... Turn off with a single click

Turn on with...

**Quick Clicks** 

**Quick Clicks** 

25% Power ... Turn off with a single click

Turn on with...

**Emergency** Safety Strobe
...Turn off with a single click



13

#### Accessories:

Belt Holster. Black (XLXXX-A3046)



**Rack View** 



- Fits all Maglite® XL Series™ flashlights Rugged woven ballistic nylon Weather resistant lock-stitched thread
- · Accepts belts up to 2 1/4" wide

		FL1 ST/	ANDARD		HIGH	LOW
213m	I39 MENS	11373cd		1m	6h30min	33h

MAGLITE® XL50® LED SPECIFICATIONS			
Overall Length:	4.8" (121.92 mm)		
Barrel Diameter:	1" (25.4 mm)		
Head Diameter:	1" (25.4 mm)		
Weight with battery: 3.68 oz. (104 g)g			
Powered by three (3) AAA alkaline batteries (included)			
Colors subject to availability: Black, Red, Blue, Silver and Gray * All specifications shown are approximate.			

# **MAG-LITE** POWERED BY 3 "AAA"

**ALKALINE BATTERIES** 

A revolutionary breakthrough in flashlight technology. Designed for optimum light output, the MAGLITE® XL100® LED flashlight delivers userfriendly, performance oriented features in a sleek, tactical design. Engineered from the ground up, this advanced lighting instrument is driven by the next generation of MAG-LED® technology and includes the Advanced Flashlight User Interface™. The XL100® features a rear push-button tail cap switch coupled with five selectable modes, plus variable strobe rates, intensity level memory recall and lockout (prevents accidental operation).

NORMAL (on-off), **STROBE, NITE LITE™** SIGNAL, & SOS

Plus: Lockout

**Rotate Left or Right** For Variable Power **Level and Strobe Rate Settings MAXIMUM TO MINIMUM** 





#### Accessories:

Belt Holster, Black (XLXXX-A3046)





Back View Front View

- Fits all Maglite® XL Series™ flashlights
- Rugged woven ballistic nylon
- Weather resistant lock-stitched thread
- · Accepts belts up to 2 1/4" wide

	FL1 STANDARD		HIGH	LOW
178m 105 LUMENS	7916 cd	1m	5h45min	209h

MAGLITE® XL100® LED SPECIFICATIONS					
Overall Length:	4.8" (121.92 mm)				
Barrel Diameter:	1" (25.4 mm)				
Head Diameter:	Head Diameter: 1" (25.4 mm)				
Weight with battery: 3.68 oz. (104 g)g					
Powered by three (3) AAA alkaline batteries (included)					
Colors subject to availability: Black, Red, Blue, and Gray * All specifications shown are approximate.					

# **S** MAG:LITE

POWERED BY 3 "AAA" ALKALINE BATTERIES

FIVE BASIC, EASY-TO-USE **FUNCTIONS** plus Advanced Features and the STUNNING **BRIGHTNESS** of a Next-

Generation LED. - By the simple "QuickClick" method introduced with our popular Maglite® XL50® flashlight, the XL200® lets the user select the desired function. Motion-controlled variable power level and blink rate.

Features a push-button tail cap switch with simple on-off function and 5 Selectable Modes

- Turn on with... Quick Click High power
- Turn on with...
  Quick Clicks Strobe Mode
- Turn on with... Quick Clicks Nite Lite™ Mode
- Turn on with... **Quick Clicks** Signal Mode
- Turn on with...
  Quick Clicks SOS Mode

Plus: Lockout (prevents accidental operation)

#### Accessories:

Belt Holster. Black ( XLXXX-A3046)



Front View



**Back View** 

- Fits all Maglite® XL Series™ flashlights Rugged woven ballistic nylon · Weather resistant lock-stitched thread
- · Accepts belts up to 2 1/4" wide

		FL1 ST/	ANDARD		HIGH	LOW
138m	172- LUMENS	4737cd		1m	2h30min	218h

Overall Length:	4.8" (121.92 mm)			
Barrel Diameter:	1" (25.4 mm)			
Head Diameter:	1" (25.4 mm)			
Weight with battery: 3.68 oz. (104 g)g				
Powered by three (3) AAA alkaline batteries (included)				

D-Cell LED Flashlights.

The Maglite® flashlight, renowned for its quality, durability, and reliability, is now available with the new MAG-LED® Technology. Designed for professional and consumer use, Maglite® LED flashlights build on the experience in craftsmanship, engineering, and advanced technology evident in all Mag® flashlights. The Maglite® flashlight is internationally accepted as the Professional Flashlight®. Built tough enough to last a lifetime, its durability and innovative features now combined with the new MAG-LED® Technology make the Maglite® LED flashlight a technologically advanced lighting instrument. Available in 2 and 3



#### Accessories:

Cell D size.

Mounting Brackets (ASXD026)







Accessory Pack Includes: Anti/Roll device/lens nolder, Red, Blue, and Clear lenses, and two **D-Cell mounting brackets** (ASXX376)



#### 2 D-Cell


















with reflective tape for C-Cell & D-Cell only. Red (ASXX798) Yellow (ASXX508) White (ASXX808)



#### **MAGLITE® D-CELL LED SPECIFICATIONS** 2D 3D Overall Length:\* 12-11/32 in. 10 in. 254 mm 313 mm Barrel Diameter:\* 1-9/16 in. 1-9/16 in. 39.67 mm 39.67 mm Head Diameter:\* 2-1/4 in. 57.00 mm 2-1/4 in. 57.00 mm Weight with battery:\* 23 oz. 674 a 30 oz. 856 a **Batteries Required:** (2) D size alkaline (3) D size alkaline Colors: See website for details. \* All specifications shown are approximate.

### NEW

### **S'MAG**LITE PRO FLASHLIGHT



#### Accessories:

Mounting Brackets (ASXD026)



D-Cell Leather Belt Holder (ASXD036) Basketweave (ASXD056)

MAGLITE® PRO™ D-CELL LED SPECIFICATIONS



Accessory Pack Includes: Anti/Roll device/lens holder, Red, Blue, and Clear lenses, and two **D-Cell mounting brackets** (ASXX376)



2 D-Cell



Traffic Wand Kits with reflective tape for C-Cell & D-Cell only. Red (ASXX798) Yellow (ASXX508) White (ASXX808)



<b>2D</b>				
Overall Length:*	10 in.	254 mm		
Barrel Diameter:*	1-9/16 in.	1-9/16 in. 39.67 mm		
Head Diameter:*	2-1/4 in. 57.00 mm			
Weight with battery:*	23 oz. 674 g			
Batteries Required: (2) D size alkaline				
Colors: See website for details. * All specifications shown are approximate.				

# **MAG**·LITE

Available in either 2 or 3 Cell C size, the MAG-LITE® ML100® flashlight combines longfamous MAG-LITE® beauty, reliability and beam-adjustability with powerful new electronics, providing stunning brightness, long battery life and an array of **USER CONFIGURABLE** 

**FUNCTION SETS.** Use the flashlight just as it comes out of the package (see Function Set #1 -

Standard) or

#### **PERSONALIZE IT TO SUIT YOUR OWN HABITS OF**

**USE** by choosing one of the other Function Sets in the chart shown.





#### Accessories:

Mounting Brackets (ASXCAT6)



Belt Holder Plain Leather (ASXCO46)



#### 2-Cell







	Function Set 1	
1 Click for	Full Power	
2 Clicks for	Power Save	
3 Clicks for	Strobe	
	Function Set 2	
1 Click for	Full Power	
2 Clicks for	Power Save	
3 Clicks for	SOS Signal	
	Function Set 3	
1 Click for	Function Set 3 Momentary	
1 Click for 2 Clicks for		
	Momentary	
2 Clicks for	Momentary Full Power	
2 Clicks for	Momentary Full Power Power Save	
2 Clicks for 3 Clicks for 1 Click for 2 Clicks for	Momentary Full Power Power Save Function Set 4	
2 Clicks for 3 Clicks for 1 Click for	Momentary Full Power Power Save Function Set 4 Momentary	

• Strobe (12/sec)

• SOS (Int'l Morse Code)

Momentary On/Off

	20	2C		3C	
Overall Length:*	9.135 in.	232.029 mm	11.104 in.	282.042 mm	
Barrel Diameter:*	1.199 in.	30.455 mm	1.199 in.	30.455 mm	
Head Diameter:*	1.977 in.	50.216 mm	1.977 in.	50.216 mm	
Weight without battery:*	10.4 oz.	294.835 g	11.2 oz.	317.514 g	
Weight with battery:*	15.2 oz.	430.912 g	18.4 oz.	521.631 g	
Batteries Required:	(2) C size al	(2) C size alkaline		(3) C size alkaline	

# **MAG**-LITE **LED FLASHLIGHT**

The MAG-LITE® ML125® flashlight. Runs on either an environmentally friendly NiM Rechargeable Battery Pack O (3) C-Cell Alkaline Batteries.

**System includes Portable Battery Charger, AC Converter and NiMH Batter** Pack and an array of USER **CONFIGURABLE** 

FUNCTION SETS. Use the flashlight just as it comes out of the package (see Function Set #1 -Standard) or

#### **PERSONALIZE IT TO SUIT YOUR OWN HABITS OF**

**USE** by choosing one of the other Function Sets in the chart shown.



#### Accessories:

Mounting Brackets (ASXCAT6)



Belt Holder Plain Leather (ASXCO46)



#### Alkaline



#### Rechargeable



ALKALINE Batteries	
H DR	
ry	
	PERSONALIZE for QUICK ACCESS to your PREFERRED

**FUNCTIONS** 

- Full Power
- Power Save (25%)
- Strobe (12/sec)
- SOS (Int'l Morse Code)
- Momentary On/Off

Function Set 1
Full Power
Power Save
Strobe
Function Set 2
Full Power
Power Save
SOS Signal
Function Set 3
Momentary
Full Power
Power Save
Function Set 4
Momentary
Full Power

	30	
Overall Length:*	11.104 in.	282.042 mm
Barrel Diameter:*	1.199 in.	30.455 mm
Head Diameter:*	1.977 in.	50.216 mm
Weight without battery:*	11.2 oz.	317.514 g
Weight with battery:*	18.4 oz.	521.631 g

\* All specifications shown are approximate.



### LED FLASHLIGHTS 3 Functions with "Quick Click" access.

Designed with extensive input from police tactical users and yet suitable also for civilian use, this plain-bezel version of the MAG-TAC® LED flashlight

comes with a detachable pocket clip and features three modes: Two power levels (Full Power for extreme brightness and Power Save for prolonged battery life) plus a Momentary mode (in which the light stays on only while the switch button is being pressed) - all selectable through Mag Instrument's talicap-switch-activated "Quick-Click™" mode selector.



3 MODES **Momentary Full Power Power Save** 

Uses CR123 Batteries (included) Matte Finish



Front View





MAGLITE® MAG-1	AC® LED (Plain Bezel) SPECIFICATIONS			
Overall Length:*	5.195" (131.95 mm)			
Barrel Diameter:*	1.050" (26.67 mm)			
Head Diameter:*	1.050" (26.67 mm)			
Weight with batteries:* 4.8 oz. (136 g)				
Powered by two (2) CR123 batteries (included)				
Colors subject to availability: Black, Foliage Green, Urban Gray, Coyote Tan, Crimson Red * All specifications shown are approximate.				

In developing the MAG-TAC® LED flashlight, we aimed to produce an advanced lighting tool that, in appearance, build quality and performance, would rival tactical flashlights costing several times more. The result is the first Mag® flashlight to use extremeperformance lithium CR123 batteries - a rugged, fast-handling, "fist-grabbable" flashlight that achieves truly stunning performance for its size. Thanks to a tailcap switch, it turns on and off without changing the beam's focal setting.







3 MODES **Momentary Full Power** Strobe

Uses CR123 Batteries (included) Matte Finish



MAGLITE® MAG-TAC® LED (Crowned Bezel) SPECIFICATIONS					
Overall Length:* 5.275" (133.98 mm)					
Barrel Diameter.* 1.050" (26.67 mm)					
Head Diameter.* 1.050" (26.67 mm)					
Weight with batteries:* 4.8 oz. (136 g)					
Powered by two (2) CR123 batteries (included)					
Colors subject to availability: Black, Foliage Green, Urban Gray, Coyote Tan, Crimson Red * All specifications shown are approximate.					





# The MAGLITE® SOLITAIRE® Flashlight - Weighing less than one ounce (with battery) and about three inches in length, the Solitaire® 1-Cell AAA flashlight offers the same precision engineering and craftsmanship found in every Mag-Lite® flashlight. With its unique shape, the Solitaire® flashlight fits conveniently into pockets, purses, attache cases, etc.



Good for Low Light Map Reading





Accessories:

Replacement Lamps (LK3A001)







MAGLITE® SOLITAIRE® 1-Cell AAA SPECIFICATIONS			
Overall Length:*	3-3/16 inches / 81 mm		
Barrel Diameter:*	1/2 inch / 12.70 mm		
• Head Diameter:*	1/2 inch / 12.70 mm		
Weight with battery:*	0.8 ounces / 24 grams		
Batteries Required:	(1) AAA Size Alkaline (included)		
Colors subject to availability: Black, Red, Blue, Silver and Gray * All specifications shown are approximate.			

# MAGLITE FLASHLIGHT

# The MINI MAGLITE® 2-Cell AAA Flashlight

Until its inception, no flashlight of this size incorporated the features, functions, and unique design elements of our Mini Maglite® flashlight. Now an icon of classic American design, and famous around the world for its brightness, quality, durability, and dependability. The Mini Maglite® 2-Cell AAA flashlight has all the same features and functions as the Mini Maglite® AA flashlight in a smaller, lighter version for ease of use and storage. Good for close quarter low light level conditions





#### **Accessories:**

Black Nylon Full Flap Holster (AM3A026)



Replacement Lamps (LM3A001)







MINI MAGLITE®	2-Cell AAA SPECIFICATIONS		
Overall Length:*	5 inches / 127 mm		
Barrel Diameter:*	1/2 inches / 12.70 mm		
Head Diameter:*	3/4 inch / 19 mm		
Weight with battery:*	1.73 ounces / 49.04 grams		
Batteries Required:	(2) AAA Size Alkaline (included)		
Colors subject to availability: Black, Red, Blue, Silver and Gray * All specifications shown are approximate.			



#### The MINI MAGLITE® 2-Cell AA Xenon Flashlight

Until its inception, no flashlight of this size incorporated the features, functions, and unique design elements of our Mini Maglite® AA flashlight. Now an icon of classic American design, and famous around the world for its brightness, quality, durability, and dependability.



Candle Mode





#### **Accessories:**

Black Nylon **Full Flap Holster** (AM2A056)



UCP Camo Nylon Full Flap Holster (AM2A886)

















MINI MAGLITE® 2-Cell AA SPECIFICATIONS				
Overall Length:*	5-3/4 inches / 146 mm			
Barrel Diameter:*	23/32 inches / 18 mm			
• Head Diameter:*	1 inch / 25.4 mm			
Weight with battery:*	3.78 ounces / 107.16 grams			
Batteries Required:	(2) AA Size Alkaline (included)			
Colors subject to availability: Black, Red, Blue, Silver and Gray * All specifications shown are approximate.				



#### Now with Enhanced **Halogen Lamp and NEW Electronic Switch.**

The latest generation MagCharger® flashlight combines long-famous MAG-LITE® beauty, reliability and beam-adjustability with a powerful New Halogen Lamp and New Electronic switch which includes an

array of USER CONFIGURABLE FUNCTION SETS. Use the flashlight just as it

comes out of the package (see Function Set #1 - Standard) or

#### PERSONALIZE IT TO SUIT YOUR OWN HABITS OF USE

by choosing one of the other Function Sets in the chart shown.

RE1019 System (V4) Includes: Mag Charger® Flashlight, Charging Cradle, NiMH Rechargeable Battery Pack, (2) Mounting Brackets, 120 Volt Converter, Mobile Power Adapter (12 volt) and a back-up Halogen lamp is




stored in the tailcap.











**PERSONALIZE** for

**QUICK ACCESS to** 

your PREFERRED

• Power Save (25%)

**FUNCTIONS** • Full Power

	Function Set 1	
1 Click for	Full Power	
2 Clicks for	Power Save	
3 Clicks for	Strobe	
	Function Set 2	
1 Click for	Full Power	
2 Clicks for	Power Save	
3 Clicks for	or SOS Signal	
O CHICKS IOI	อบอ อเหแลเ	
	Function Set 3	
1 Click for		
	Function Set 3	
1 Click for	Function Set 3 Momentary	
1 Click for 2 Clicks for 3 Clicks for	Function Set 3 Momentary Full Power	
1 Click for 2 Clicks for	Function Set 3 Momentary Full Power Power Save	
1 Click for 2 Clicks for 3 Clicks for	Function Set 3 Momentary Full Power Power Save Function Set 4	

	FL1 STANDA	RD	HIGH	LOW
434m 240 LUMENS	47167cd		Ů 2h	6h 45min

Overall Length:*	12-19/32 in.	319.79 mm	
Barrel Diameter:*	1-9/16 in.	39.67 mm	
Head Diameter:*	2-5/16 in.	58.72 mm	
Weight with battery:*	32 oz.	907.18 g	



Every Mag-Lite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Mag-Lite® D-Cell flashlight includes two high intensity gas lamps for enhanced brilliance and extended range.

#### Accessories:

Mounting Brackets (ASXD026)



D-Cell Leather Belt Holder (ASXD036) Basketweave (ASXD056)



Accessory Pack Includes: Anti/Roll device/lens nolder, Red, Blue, and Clear lenses, and two **D-Cell mounting brackets** (ASXX376)





Replacement lamps

2-Cell C&D - LWSA201 (LMXA201\*) 3-Cell C&D - LWSA301 (LMXA301\*) 4-Cell C&D - LWSA401 (LMXA401\*) 5-Cell C&D - LWSA501 (LMXA501\*) 6-Cell C&D - LWSA601 (LMXA601\*)

\*Expected to be introduced in 2013



Traffic Wand Kits with reflective tape for C-Cell & D-Cell only. Red (ASXX798) Yellow (ASXX508) White (ASXX808)



#### See page 6 for ANSI Standards

MAGLITE® D-Cell SPECIFICATIONS							
	2D	3D	4D	5D	6D		
Overall Length:	10 in. 254 mm	12-11/32 in. 313 mm	14-23/32 in. 374 mm	17-1/8 in. 434 mm	19-1/2 in. 495 mm		
Barrel Diameter:	1-9/16 in. 39.67 mm						
Head Diameter:	2-1/4 in. 57.00 mm						
Weight with battery:	23 oz. 674 g	30 oz. 856 g	36 oz. 1043 g	43 oz. 1233 g	50 oz. 1417 g		
Batteries Required:	(2) D size alkaline	(3) D size alkaline	(4) D size alkaline	(5) D size alkaline	(6) D size alkaline		
Colors Sop woheite for details All energinations shown are approximate							

### MAG-C-CELL FLASHLIGHTS







The Mag-Lite® C-Cell flashlight embodies the same precise balance of refined optics, efficient power, durability and quality as the D-Cell Flashlights in a smaller, lighter weight design. Each Mag-Lite® C-Cell flashlight includes two high intensity gas lamps for enhanced brilliance and extended range.

#### Accessories:

Mounting Brackets (ASXCAT6)



Belt Holder Plain Leather (ASXCO46)



Accessory Pack Includes: Anti/Roll device/lens holder, Red, Blue, and Clear lenses, and two **D-Cell mounting brackets** (ASXX376)





2-Cell C&D - LWSA201 (LMXA201\*) 3-Cell C&D - LWSA301 (LMXA301\*) 4-Cell C&D - LWSA401 (LMXA401\*)



Traffic Wand Kits with reflective tape for C-Cell & D-Cell only. Red (ASXX798) Yellow (ASXX508) White (ASXX808)



27

\*Expected to be introduced in 2013

#### See page 6 for ANSI Standards

MAGLITE® C-Cell SPECIFICATIONS						
	2C	3C	4C			
Overall Length:	8-15/16 in. 227 mm	10-7/8 in. 276 mm	12-13/16 in. 325 mm			
Barrel Diameter:	1-1/4 in. 31.75 mm	1-1/4 in. 31.75 mm	1-1/4 in. 31.75 mm			
Head Diameter:	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm			
Weight with battery:	15 oz. 445 g	19 oz. 541 g	22 oz. 637 g			
Batteries Required:	(2) C size alkaline	(3) C size alkaline	(4) C size alkaline			
Colors: See website	for details. All specifications	shown are annroximate				