PRF Biosol - Version 1 Page 1 of 12

SAFETY DATA SHEET

PRF Biosol

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 03.02.2023

1.1. Product identifier

Product name PRF Biosol

Article no. PLBIOS05,PLBIOS10,PLBIOS25,PLBIOS200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture Cleaning agent

Main intended use PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)

1.3. Details of the supplier of the safety data sheet

Company name Taerosol Oy Postal address Hampuntie 21 Postcode 36220 City Kangasala Country Finland Telephone number +358 33565600 Website www.taerosol.com Enterprise No. 02847686

1.4. Emergency telephone number

Emergency telephone Telephone number: 112 / Finnish Poison Information Center: 0800 147 111, 24/7

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Skin Irrit. 2; H315
Regulation (EC) No 1272/2008
[CLP / GHS] Eye Dam. 1; H318

PRF Biosol - Version 1 Page 2 of 12

Substance / mixture hazardous properties
Additional information on

Irritating to skin. Causes serious eye damage.

For the full text of the statements mentioned in this Section, see Section 16.

2.2. Label elements

Hazard pictograms (CLP)



classification

Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements P280 Wear protective gloves / protective clothing / eye protection / face

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water / .

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice / attention.

2.3. Other hazards

PBT / vPvB See section 12.5
Health effect See section 11.2

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
Alcohols, C9-11, ethoxylated	CAS No.: 68439-46-3	Skin Irrit. 2; H315 Eye Dam. 1; H318	< 10 %	
Tetrasodium ethylene	CAS No.: 64-02-8	Acute tox. 4; H302	< 5 %	
diamine tetraacetate	EC No.: 200-573-9 Index No.: 607-428-00-2	Eye Dam. 1; H318		
Disodium metasilicate	CAS No.: 10213-79-3	Skin Corr. 1B; H314 STOT SE 3; H335	< 5 %	
Substance comments	perfumes	Contains: non-ionic surfactants 5-15 %, < 5 %, EDTA and salts thereof < 5 %, perfumes For the full text of the statements mentioned in this Section, see Section 16.		

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Take off contaminated clothing and wash it before reuse.
Inhalation	Remove person to fresh air and keep comfortable for breathing. When symptoms persist or in all cases of doubt seek medical advice.

PRF Biosol - Version 1 Page 3 of 12

Skin contact	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

General symptoms and effects Skin irritation Serious eye damage

4.3. Indication of any immediate medical attention and special treatment needed

Medical treatment Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the	
	surrounding environment.	

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Carbon dioxide (CO2) Carbon monoxide (CO)

5.3. Advice for firefighters

Personal protective equipment	In accordance with the requirements of EN 469, firefighter's clothing with a helmet, protective boots and gloves provides a basic level of protection against chemical accidents. In case of inadequate ventilation wear respiratory protection. See section 8.2
Fire fighting procedures	Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Use personal protective equipment. See section 8.2 Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Stop leak if safe to do so. Evacuate area.
For emergency responders	Use personal protective equipment. See section 8.2

6.2. Environmental precautions

Environmental precautionary	Try to prevent the material from entering drains or water courses.
measures	

6.3. Methods and material for containment and cleaning up

Containment	Prevent further leakage or spillage if safe to do so.
-------------	---

PRF Biosol - Version 1 Page 4 of 12

Clean up Absorb spillage to prevent material damage.

6.4. Reference to other sections

Other instructions See section 7, 8, 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling

Keep away from oxidising agents and strongly acid or alkaline materials. Try to prevent the material from entering drains or water courses. Handle in accordance with good industrial hygiene and safety practice. Do not taste or swallow. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Wash hands and skin thoroughly after handling. Käytä suojakäsineitä/suojavaatetusta/silmiensuojainta/kasvonsuojainta.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep away from oxidising agents and strongly acid or alkaline materials. Keep away from food, drink and animal feedingstuffs. Keep only in original container.

7.3. Specific end use(s)

Specific use(s) None known.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters comments This information is not available.

8.2. Exposure controls

Precautionary measures to prevent exposure

Appropriate engineering controls See section 7.1, 7.2

Eye / face protection

Eye protection equipment	Description: Tightly fitting safety goggles Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Reference to relevant standard: SFS-EN ISO 4007:2018 SFS-EN ISO 16321-1:2022 SFS-EN ISO 18526-1:2020 SFS-EN ISO 16321-3:2022 SFS-EN ISO 16321-2:2021 SFS-EN ISO 18526-3:2020 SFS-EN ISO 18526-2:2020 SFS-EN ISO 19734:2021 SFS-EN ISO 19734:2021 SFS-EN 13911:2017 SFS-EN 16473
--------------------------	---

PRF Biosol - Version 1 Page 5 of 12

SFS-EN 167
SFS-EN 168
SFS-EN 443

Hand protection

Breakthrough time

Comments: As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Thickness of glove material

Comments: As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before

use.

Hand protection equipment Description: Protective gloves Choose body protection in relation to its type, to

the concentration and amount of dangerous substances, and to the specific work-place. It is good practice in industrial hygiene to avoid contact with solvents

by using appropriate protective measures whenever possible.

Reference to relevant standard: SFS-EN ISO 374-1:2017

SFS-EN ISO 374-5:2017

SFS-EN 511 SFS-EN 659 + A1 SFS-EN 1082-1 SFS-EN 1082-2 SFS-EN 1082-3 SFS-EN 14325:2018 SFS-EN 16350

Skin protection

Recommended protective clothing Description: Usual safety precautions while handling the product will provide

adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever

possible.

Reference to relevant standard: SFS-EN 863

SFS-EN 1149-2 SFS-EN 1149-3 SFS-EN 13034 + A1 SFS-EN 16689:2017 SFS-EN ISO 6530 CEN ISO/TR 11610 SFS-EN ISO 11612 SFS-EN ISO 13688

SFS-EN ISO 13982-1 SFS-EN ISO 13982-2 SFS-EN ISO 13995 SFS-EN ISO 13997

SFS-EN ISO 14116 SFS-EN 15090 PRF Biosol - Version 1 Page 6 of 12

CEN ISO/TR 18690

Respiratory protection

Recommended respiratory protection

Description: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Use respirator when performing operations involving potential exposure to vapour of the product. In case of inadequate ventilation wear respiratory protection. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used. Reference to relevant standard: SFS-EN ISO 16972:2020

SFS-EN 13274-1

SFS-EN 148-1:2019

SFS-EN 144-1:2018

SFS-EN 14593-1:2018

SFS-EN 1146

SFS-EN 12021

SFS-EN 12083 + AC

SFS-EN 12941 + A1 + A2

SFS-EN 12942 + A1 + A2

SFS-EN 13274-2:2019

SFS-EN 13274-4:2020

SFS-EN 13274-5

SFS-EN 13274-6

SFS-EN 13274-3

SFS-EN 13274-8

SFS-EN 13274-5

SFS-EN 13274-7:2019

SFS-EN 134

SFS-EN 135

SFS-EN 136 + AC

SFS-EN 137

SFS-EN 13794

SFS-EN 138

SFS-EN 140 + AC

SFS-EN 142

SFS-EN 143:2021

SFS-EN 14387:2021

SFS-EN 144-3 + AC

SFS-EN 144-2:2018

SFS-EN 14435

SFS-EN 145/A1

SFS-EN 145

SFS-EN 14529

SFS-EN 14594:2018

SFS-EN 148-2

SFS-EN 148-3

SFS-EN 149 + A1

SFS-EN 15333-2

SFS-EN 1825-2

PRF Biosol - Version 1 Page 7 of 12

SFS-EN 1827 + A1
SFS-EN 250
SFS-EN 269
SFS-EN 402
SFS-EN 403
SFS-EN 404
SFS-EN 405 + A1
SFS-EN 529

Thermal hazards

Thermal hazards Not applicable.

Appropriate environmental exposure control

Environmental exposure controls See section 6.2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	clear yellowish
Odour	citrus
Odour limit	Reason for waiving data: No data.
рН	Value: 12,8
Melting point / melting range	Reason for waiving data: No data.
Boiling point / boiling range	Value: > 100 °C Reason for waiving data: No data.
Flash point	Reason for waiving data: No data.
Flammability	This information is not available.
Lower explosion limit with unit of measurement	Reason for waiving data: No data.
Upper explosion limit with units of measurement	Reason for waiving data: No data.
Vapour pressure	Reason for waiving data: No data.
Vapour density	Reason for waiving data: No data.
Particle characteristics	Reason for waiving data: Not applicable
Relative density	Reason for waiving data: No data.
Density	Value: ~ 1 g/cm³
Solubility	Medium: Water
Partition coefficient: n-octanol/ water	Reason for waiving data: No data.
Auto-ignition temperature	Reason for waiving data: No data.
Decomposition temperature	Reason for waiving data: Not applicable

PRF Biosol - Version 1 Page 8 of 12

Viscosity Type: Kinematic

Reason for waiving data: No data.

9.2. Other information

Other physical and chemical properties

Physical and chemical properties

This information is not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See section 5.2

10.2. Chemical stability

Stability Stable

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions See section 5.2

10.4. Conditions to avoid

Conditions to avoid See section 7.1, 7.2

10.5. Incompatible materials

Materials to avoid See section 7.1, 7.2

10.6. Hazardous decomposition products

Hazardous decomposition

products

See section 5.2

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance Disodium metasilicate

Acute toxicity Effect tested: LD50

Route of exposure: Oral

Value: 1152 - 1349 mg/kg

Value: 1152 - 1349 mg/kg Animal test species: Rat

Effect tested: LC50

Route of exposure: Inhalation.

Value: 2,06 g/m³
Animal test species: Rat

Effect tested: LD50 Route of exposure: Dermal Value: > 5000 mg/kg PRF Biosol - Version 1 Page 9 of 12

Animal test species: Rat

Other information regarding health hazards

Assessment of acute toxicity, classification

Assessment of skin corrosion /

Assessment of eye damage or irritation, classification

irritation, classification

Assessment of respiratory sensitisation, classification

Assessment of skin sensitisation, classification

Assessment of germ cell mutagenicity, classification

Assessment of carcinogenicity, classification

Assessment of reproductive toxicity, classification

Assessment of specific target organ toxicity - single exposure, classification

Assessment of specific target organ toxicity - repeated exposure, classification

Assessment of aspiration hazard, classification

Based on available data, the classification criteria are not met.

Irritating to skin.

Causes serious eye damage.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Symptoms of exposure

In case of ingestion

See section 4.2

In case of skin contact

See section 4.2

In case of inhalation

See section 4.2

n case of inhalation See section 4.2

11.2 Other information

In case of eye contact

Endocrine disruption This information is not available.

See section 4.2

SECTION 12: Ecological information

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Bioaccumulation, evaluation This information is not available.

PRF Biosol - Version 1 Page 10 of 12

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB	This information is not available.
assessment	

12.6. Endocrine disrupting properties

Endocrine disrupting properties

12.7. Other adverse effects

Additional ecological information This information is not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical	Dispose of product residue in accordance with the instructions of the person responsible for waste disposal. Avoid putting the substance into waste water.
Appropriate methods of disposal for the contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Where possible recycling is preferred to disposal.
EU Regulations	Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives

SECTION 14: Transport information

14.1. UN number

ADR/RID/ADN	3267
IMDG	3267
ICAO/IATA	3267

14.2. UN proper shipping name

Proper shipping name English ADR/RID/ADN	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
ADR/RID/ADN	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
IMDG	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
ICAO/IATA	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

14.3. Transport hazard class(es)

ADR/RID/ADN	8
Classificaton code ADR/RID/ADN	C7

14.4. Packing group

ADR/RID/ADN	III

PRF Biosol - Version 1 Page 11 of 12

IMDG	III
ICAO/IATA	III

14.5. Environmental hazards

Comments

14.6. Special precautions for user

Special safety precautions for user This information is not available.

14.7. Maritime transport in bulk according to IMO instruments

Product name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

Additional information

Hazard label ADR/RID/ADN	8
Hazard label IMDG	8
Hazard label ICAO/IATA	8

ADR/RID Other information

Tunnel restriction code	E
Transport category	3
Hazard No.	80

IMDG Other information

EmS F-A, S-B

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations

Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents The rules which cover amongst other things the requirement for ventilation, protective clothing, personal protective equipment etc. can be obtained from the National Occupational Health and Safety Board.

15.2. Chemical safety assessment

Chemical safety assessment	No
performed	

SECTION 16: Other information

List of relevant H-phrases (Section 2 and 3)	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation.
	H318 Causes serious eye damage.

PRF Biosol - Version 1 Page 12 of 12

	H335 May cause respiratory irritation.
CLP classification, notes	Calculation method.
Training advice	Provide adequate information, instruction and training for operators. Take notice of the directions of use on the label. To avoid risks to man and the environment, comply with the instructions for use.
Key literature references and sources for data	Information taken from reference works and the literature. http://echa.europa.eu http://eur-lex.europa.eu http://echa-term.echa.europa.eu Ingredient Safety Data Sheets
Abbreviations and acronyms used	CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = derived minimal effect level DNEL = derived no-effect level EC50 = The effective concentration of substance that causes 50% of the maximum response. ECHA = European Chemicals Agency EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances EEA = European List of Notified Chemical Substances EEA = European Union EC number = The three European lists of substances from the previous EU chemicals regulatory framework, EINECS, ELINCS and the NLP-list, in combination are called the EC Inventory. The EC Inventory is the source for the seven-digit EC number, an identifier of substances commercially available within the European Union. GHS = Global Harmonised System SDS = safety data sheet LC50 = median lethal concentration LDx = lethal dose x% LOAEC = lowest observed adverse effect concentration LOAEL = lowest observed adverse effect level LOEC = lowest observed adverse effect level NOAEC = no observed adverse effect level NOAEC = no observed effect level PNOAEC = no observed effect level PNOEC = predicted no-effect concentration NOEL = no observed effect level PBT = persistent, bioaccumulative and toxic PNEC = predicted no-effect concentration QSAR = quantitative structure-activity relationship REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STOT = specific target organ toxicity UFI = unique formula identifier
Information added, deleted or	vPvB = very persistent and very bioaccumulative Relevant changes compared to the previous version of the safety data sheet are
revised	indicated with verticle lines in the left margin.
Version	1