

Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Replaced version: 4.0.0, issued: 27.06.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

MAPP Gas

Substance name propene

Identification numbers

CAS no. 115-07-1 EC no. 204-062-1 Index no. 601-011-00-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Fuel gas

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

ROTHENBERGER Werkzeuge GmbH

Industriestraße 7

65779 Kelkheim

Telephone no. +49 (0) 61 95 / 800 - 1 +49 (0) 6195 / 800 - 3500 Fax no. info@rothenberger.com e-mail

Advice on Safety Data Sheet

sdb info@umco.de

1.4 **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Gas 1A; H220 Press. Gas compr.; H280

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC)

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3 and 4 of Annex I to CLP.

aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Product identifier

601-011-00-9 (propene)

Hazard pictograms



Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Region: 4.0.0, issued: 27.06.2022 Region: GB



Signal word

Danger

Hazard statement(s)

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 In case of leakage, eliminate all ignition sources.
P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container to a facility in accordance with

local/regional/national/international regulations.

2.3 Other hazards

During and after use possible formation of combustible mixture with solvents. Contact with the liquid can cause cold burns or frostbite.

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterization

Substance name propene

Identification numbers

CAS no. 115-07-1 EC no. 204-062-1 Index no. 601-011-00-9

3.2 Mixtures

Not applicable. The product is not a mixture.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove affected person from danger area, lay him down. If the patient is likely to become unconscious, place and transport in stable sideways position. In case of persisting adverse effects, consult a physician.

After inhalation

Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

In case of frostbite, rinse with plenty of water. Do not remove clothing. In case of contact with skin wash off immediately with copious amounts of water. Consult a doctor if skin irritation persists.

After eve contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion



Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Region: 4.0.0, issued: 27.06.2022 Region: GB

Get medical attention if pain still persists. Do not induce vomiting. Never give anything by mouth to an unconscious

person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Frostbite; Light-headedness; Shortness of breath; Unconsciousness

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Carbon dioxide; Foam

Unsuitable extinguishing media

Water

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; May explode if exposed to heat. Liquefied gas: Spilled liquid can cause cold burns. This gas is heavier than air and may accumulate in low areas. Vapours are heavier than air and may spread along floors.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool closed containers exposed to fire with water. Pressure increase, bursting and explosion hazard during heating.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Risk of explosion. Ensure adequate ventilation. Keep away from ignition sources. Evacuate all unprotected personnel from the danger zone. Use personal protective clothing. Do not inhale vapours.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Allow to vaporise. When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good room ventilation even at ground level (vapours are heavier than air). Open and handle container with care. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Handle with care - avoid bumps, friction and impact.

General protective and hygiene measures

Wash hands before breaks and after work. Do not inhale gases. Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. Avoid contact with eyes and skin.



Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Region: 4.0.0, issued: 27.06.2022 Region: GB

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools. Electrical equipment should be protected to the appropriate standard.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place, open and handle carefully. Protect from heat and direct sunlight.

Recommended storage temperature

Value < 50 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No parameters available for monitoring.

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes. Fire-resistant antistatic protective clothing. Protective shoes.

Environmental exposure controls

No data available.

Ctata of aggregation

colourless

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
gas	
Form/Colour	
Compressed gas	

Odour



Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Replaced version: 4.0.0, issued: 27.06.2022 Region: GB

odourless				
pH value No data available				
Boiling point / boiling range				
Value		-48	°C	
Source	supplier			
Melting point/freezing point				
Value		-185	°C	
Source	supplier			
Decomposition temperature No data available				
Flash point Value		-108	°C	
Source	supplier	-100	C	
Ignition temperature				
No data available				
Auto-ignition temperature				
Value		497	°C	
Source	supplier			
Flammability				
No data available				
Lower explosion limit	1	2	0/	
Value Source	supplier	2	% vol	
Upper explosion limit	1 11			
Value		11	% vol	
Source	supplier			
Vapour pressure				
Value		900	kPa	
Reference temperature Source	supplier	15	°C	
Relative vapour density	100,000			
Value		1.5		
Reference temperature		0	°C	
Source Comments	supplier Air = 1			
Relative density Value		0.6		
Source	supplier	0.0		
Density				
No data available				
Solubility in water				
Source	supplier	1-		
Comments	essentially insolub	ie		
Solubility No deta available				
No data available				
Partition coefficient n-octanol/water (log value No Substance name		S no.		EC no.
1 propene		-07-1		204-062-1
log Pow			1.77	



Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Replaced version: 4.0.0, issued: 27.06.2022 Region: GB

Reference temperature		20	°C
Source	ECHA		

Kinematic viscosity

No data available

Particle characteristics

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Risk of formation of explosive gas mixtures in air.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Oxidizing agents; Halogens

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity		
No data available		
Acute dermal toxicity		
No data available		
Acute inhalational toxicity		
No data available		

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Geri	m cell mutagenicity		
No	Substance name	CAS no.	EC no.
1	propene	115-07-1	204-062-1
Sour	rce	ECHA	
Evaluation/classification Based on available data, the classification criteria are not me		n criteria are not met.	

Rep	roduction toxicity		
No	Substance name	CAS no.	EC no.
1	propene	115-07-1	204-062-1
Soul	rce	ECHA	
Evaluation/classification		Based on available data, the classification	n criteria are not met.

Carcinogenicity



Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Replaced version: 4.0.0, issued: 27.06.2022 Region: GB

No	Substance name	CAS no.	EC no.	
1	propene	115-07-1	204-062-1	
Sou	ce	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		

STOT - single exposure

No data available

STO	T - repeated exposure		
No	Substance name	CAS no.	EC no.
1	propene	115-07-1	204-062-1
Soul	rce	ECHA	
Eval	Evaluation/classification Based on available data, the classification criteria are not met.		n criteria are not met.

Aspiration hazard
No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name		CAS no.		EC no.	
1	propene		115-07-1		204-062-1	
LC5	0			51.7	mg/l	
Duration of exposure				96	h	
Spe	cies	fish				
Method		QSAR				
Sou	Source					

Toxicity to fish (chronic)
No data available

Toxi	Toxicity to Daphnia (acute)					
No	Substance name		CAS no.		EC no.	
1	propene		115-07-1		204-062-1	
EC5	0			28.2	mg/l	
Dura	ation of exposure			48	h	
Spe	cies	Daphnia				
Meth	nod	QSAR				
Soul	rce	ECHA				

Toxicity to Daphnia (chronic) No data available

Tox	Toxicity to algae (acute)					
No	Substance name		CAS no.		EC no.	
1	propene		115-07-1		204-062-1	
EC5	50			12.1	mg/l	
Dura	ation of exposure			96	h	
Spe	cies	Algae				
Met	nod	QSAR				
Sou	rce	ECHA				

Toxicity to algae (chronic)
No data available

Bacteria toxicity



Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Replaced version: 4.0.0, issued: 27.06.2022 Region: GB

No data available

12.2 Persistence and degradability

Biodegradability				
No	Substance name	CAS no.	EC no.	
1	propene	115-07-1	204-062-1	
Туре		Anaerobic biodegradability (ThOD)		
Value		50	%	
Duration		2.36	day(s)	
Method		QSAR		
Source		ECHA		

Abic	Abiotic Degration				
No	Substance name	CAS no.		EC no.	
1	propene	115-07-1		204-062-1	
Туре		Photolysis			
Half-life			14.6	h	
Source		ECHA			

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)				
No	Substance name	CAS no.		EC no.	
1	propene	115-07-1		204-062-1	
log Pow			1.77		
Reference temperature			20	°C	
Source		ECHA			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			
PBT assessment	The components of this product are not considered to be a PBT.		
vPvB assessment	The components of this product are not considered to be a vPvB.		

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

dispose of in accordance with local regulation.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Compressed gas packaging under pressure. Do not open by force. Do not heat above 50°C. Dispose of compressed gas packagings only if completely discharged. Do not burn empty compressed gas packagings. Do not pierce, cut or weld uncleaned containers.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class

Classification code

Hazard identification no.

UN number

Proper shipping name

2

UN1077

PROPYLENE

Tunnel restriction code B/D



Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Reglaced version: 4.0.0, issued: 27.06.2022 Region: GB

Label 2.1

14.2 Transport IMDG

 Class
 2.1

 UN number
 UN1077

 Proper shipping name
 PROPYLENE

 EmS
 F-D, S-U

 Label
 2.1

14.3 Transport ICAO-TI / IATA

Class 2.1
UN number UN1077
Proper shipping name Propylene
Label 2.1

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

In accordance with the REACH regulation (EC) 1907/2006, the product does not contain any substances that are considered as subject to listing in annex XIV, inventory of substances requiring authorisation.

REACH candidate list of substances of very high concern (SVHC) for authorisation

In accordance with article 57 and article 59 of the Reach regulation (EC) 1907/2006, this substance is not considered as subject to listing in annex XIV, inventory of substances requiring authorisation ("Authorization list").

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 40

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is subject to Part I of Annex I, risk category: P2

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this substance.

SECTION 16: Other information

Further information

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Sources of key data used to compile the data sheet:

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

National Threshold Limit Values of the corresponding countries as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.



Trade name: MAPP Gas

Product no.: 035521-A, 035521-B, 035521-C

Current version: 5.0.0, issued: 04.07.2022 Replaced version: 4.0.0, issued: 27.06.2022 Region: GB

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 753555