

Trade name: ROLOT S 15, CuP 284

Product no.: 40015

Current version : 1.0.0, issued: 11.11.2019

Replaced version: -, issued: -

Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

**ROLOT S 15, CuP 284**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

solder wire

Soldering rod

Uses advised against

No data available.

### 1.3 Details of the supplier of the safety data sheet

Address

ROTHENBERGER Werkzeuge GmbH

Industriestraße 7

65779 Kelkheim

Telephone no. +49 (0) 61 95 / 800 - 1

Fax no. +49 (0) 6195 / 800 - 3500

e-mail info@rothenberger.com

Advice on Safety Data Sheet

sdb\_info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification information

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

Not relevant

### 2.3 Other hazards

Welding and soldering processes can cause spatter, molten metal and UV/IR heat can cause burns or fire.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	silver		
	7440-22-4 231-131-3 - 01-2119555669-21	-	10.00 - 50.00 %-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**Trade name:** ROLOT S 15, CuP 284

**Product no.:** 40015

**Current version :** 1.0.0, issued: 11.11.2019

**Replaced version:** -, issued: -

**Region:** GB

#### **General information**

Remove contaminated clothing and shoes and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### **After inhalation**

Remove to fresh air, keep patient warm and at rest. In case of persisting adverse effects consult a physician.

#### **After skin contact**

In case of contact with skin wash off with water. After contact with molten product, cool quickly with cold water. Do not pull solidified product from skin. Seek medical attention.

#### **After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### **After ingestion**

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor.

#### **4.2 Most important symptoms and effects, both acute and delayed**

No data available.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

##### **Unsuitable extinguishing media**

High power water jet

#### **5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Fumes of metal oxides; Toxic gases/vapours

#### **5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing.

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

##### **For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Avoid dust formation.

##### **For emergency responders**

Personal protective equipment (PPE) - see Section 8.

#### **6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater.

#### **6.3 Methods and material for containment and cleaning up**

Take up mechanically. When picked up, treat material as prescribed under heading "Disposal considerations".

#### **6.4 Reference to other sections**

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

### **SECTION 7: Handling and storage**

#### **7.1 Precautions for safe handling**

**Advice on safe handling**

Trade name: ROLOT S 15, CuP 284

Product no.: 40015

Current version : 1.0.0, issued: 11.11.2019

Replaced version: -, issued: -

Region: GB

Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far as possible by the state of the art. Provide good ventilation at the work area (local exhaust ventilation, if necessary). Avoid eye, skin and clothing contact.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale dust.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

**Requirements for storage rooms and vessels**

Always keep in containers of same material as the original one. Containers which are opened must be carefully closed and kept upright to prevent leakage.

**Incompatible products**

Substances to be avoided, pls. See chapter 10.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	silver	7440-22-4	231-131-3
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Silver (metallic)			
	WEL long-term (8-hr TWA reference period)	0.1	mg/m <sup>3</sup>
<b>2000/39/EC</b>			
Silver, metallic			
	WEL long-term (8-hr TWA reference period)	0.1	mg/m <sup>3</sup>

**8.2 Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

**Personal protective equipment****Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (part): ABEK/P3

**Eye / face protection**

Safety glasses (EN 166)

**Hand protection**

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Welder gloves

**Other**

Chemical-resistant work clothes.

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties**

Trade name: ROLOT S 15, CuP 284

Product no.: 40015

Current version : 1.0.0, issued: 11.11.2019

Replaced version: -, issued: -

Region: GB

## 9.1 Information on basic physical and chemical properties

<b>Form/Colour</b>	
solid	
red	
<b>Odour</b>	
odourless	
<b>Odour threshold</b>	
No data available	
<b>pH value</b>	
No data available	
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point / melting range</b>	
Value	650 - 810 °C
Source	supplier
<b>Decomposition point / decomposition range</b>	
No data available	
<b>Flash point</b>	
No data available	
<b>Auto-ignition temperature</b>	
No data available	
<b>Oxidising properties</b>	
No data available	
<b>Explosive properties</b>	
No data available	
<b>Flammability (solid, gas)</b>	
No data available	
<b>Lower flammability or explosive limits</b>	
No data available	
<b>Upper flammability or explosive limits</b>	
No data available	
<b>Vapour pressure</b>	
No data available	
<b>Vapour density</b>	
No data available	
<b>Evaporation rate</b>	
No data available	
<b>Relative density</b>	
No data available	
<b>Density</b>	
Value	8.1 - 8.4 g/cm <sup>3</sup>
Reference temperature	20 °C
Source	supplier
<b>Solubility in water</b>	
Source	supplier
Comments	insoluble
<b>Solubility(ies)</b>	
No data available	

Trade name: ROLOT S 15, CuP 284

Product no.: 40015

Current version : 1.0.0, issued: 11.11.2019

Replaced version: -, issued: -

Region: GB

**Partition coefficient: n-octanol/water**

No data available

**Viscosity**

No data available

**9.2 Other information****Other information**

No data available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Dangerous reactions are not to be expected when handling product according to its intended use.

**10.4 Conditions to avoid**

No data available.

**10.5 Incompatible materials**

strong bases; strong acids

**10.6 Hazardous decomposition products**

No data available.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute oral toxicity**

No data available

**Acute dermal toxicity**

No data available

**Acute inhalational toxicity**

No data available

**Skin corrosion/irritation**

No data available

**Serious eye damage/irritation**

No data available

**Respiratory or skin sensitisation**

No data available

**Germ cell mutagenicity**

No data available

**Reproduction toxicity**

No data available

**Carcinogenicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration hazard**

No data available

Trade name: ROLOT S 15, CuP 284

Product no.: 40015

Current version : 1.0.0, issued: 11.11.2019

Replaced version: -, issued: -

Region: GB

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish (acute)
No data available

Toxicity to fish (chronic)
No data available

Toxicity to Daphnia (acute)
No data available

Toxicity to Daphnia (chronic)
No data available

Toxicity to algae (acute)
No data available

Toxicity to algae (chronic)
No data available

Bacteria toxicity
No data available

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Other adverse effects

No data available.

### 12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Dispose of according to all applicable regulations upon consultation of the local competent authorities and the disposer in a suitable and authorised disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## SECTION 14: Transport information

### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

### 14.3 Transport ICAO-TI / IATA

**Trade name:** ROLOT S 15, CuP 284**Product no.:** 40015**Current version :** 1.0.0, issued: 11.11.2019**Replaced version:** -, issued: -**Region:** GB

The product is not subject to ICAO-TI / IATA regulations.

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XVII of the REACH regulation (EC) 1907/2006.

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

**Department issuing safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.  
Prod-ID 761368